CPMG / KA / BG-GPO/13/2003-2005

ಸುವರ್ಣ ಕರ್ನಾಟಕ - 2006



ಕರ್ನಾಟಕ ರಾಜ್ಯಪತ್ರ

ಅಧಿಕೃತವಾಗಿ ಪ್ರಕಟಿಸಲಾದುದು

ಸಂಪುಟ ೧೪೦ | ಬೆಂಗಳೂರು, ಗುರುವಾರ, ಜುಲೈ ೨೧, ೨೦೦೫ (ಆಷಾಢ ೩೦, ಶಕ ವರ್ಷ ೧೯೨೭) | ಸಂಚಿಕೆ ೨೯

ಭಾಗ - ೪

ಕೇಂದ್ರದ ವಿಧೇಯಕಗಳು ಮತ್ತು ಅವುಗಳ ಮೇಲೆ ಪರಿಶೀಲನಾ ಸಮಿತಿಯ ವರದಿಗಳು, ಕೇಂದ್ರದ ಅಧಿನಿಯಮಗಳು ಮತ್ತು ಅಧ್ಯಾದೇಶಗಳು, ಕೇಂದ್ರ ಸರ್ಕಾರದವರು ಹೊರಡಿಸಿದ ಸಾಮಾನ್ಯ ಶಾಸನಬದ್ಧ ನಿಯಮಗಳು ಮತ್ತು ಶಾಸನಬದ್ಧ ಆದೇಶಗಳು ಮತ್ತು ರಾಷ್ಟ್ರಪತಿಯವರಿಂದ ರಚಿತವಾಗಿ ರಾಜ್ಯ ಸರ್ಕಾರದವರಿಂದ ಪುನಃ ಪ್ರಕಟವಾದ ಆದೇಶಗಳು.

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಸಚಿವಾಲಯ

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 152 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 29ನೇ ಜೂನ್ 2005

2005ನೇ ಸಾಲಿನ ಮಾರ್ಚ್ 27 - ಏಪ್ರಿಲ್ 2ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii) ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಗೆ ನಮೂದಿಸಿರುವ ಸ್ಥಾಯಿ ಆದೇಶಗಳನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

1	S.O. 1156	Notification No. WM-21(144)2002, dated: 14.3.2005
2	S.O. 1157	Notification No. WM-21(208)2002, dated: 14.3.2005
3	S.O. 1158	Notification No. F.No.WM-21(208) 2002, dated: 14.3.2005
4	S.O. 1159	Notification No. F.No.WM-21(208) 2002, dated: 14.3.2005
5	S.O. 1160	Notification No. F.No.WM-21(264) 2002, dated: 14.3.2005
6	S.O. 1161	Notification No. WM-21(327) 2003, dated: 14.3.2005
7	S.O. 1162	Notification No. F.No.21(327) 2003, dated: 14.3.2005
8	S.O. 1163	Notification No. F.No.21(223) 2002, dated: 16.3.2005
9	S.O. 1164	Notification No. F.No.WM-21(223) 2002, dated: 16.3.2005
10	S.O. 1165	Notification No. F.No.WM-21(99) 2003, dated: 16.3.2005
11	S.O. 1166	Notification No. F.No.WM-21(113) 2003, dated: 16.3.2005
12	S.O. 1167	Notification No. F.No.WM-21(113)/2003, dated: 16.3.2005
13	S.O. 1168	Notification No. F.No.WM-21(113) 2003, dated: 16.3.2005
14	S.O. 1169	Notification No. F.No.WM-21(18) 2003, dated: 16.3.2005
15	S.O. 1170	Notification No. F.No.WM-21(18) 2003, dated: 16.3.2005

MINISTRY OF CONSUMER AFFAIRS, FOOD AND PUBLIC DISTRIBUTION


(Department of Consumer Affairs)

New Delhi, the 14th March, 2005

S.O. 1156.— Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is

in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of non-automatic weighing instrument (Platform type) with digital indication of "CTP" series of high accuracy (Accuracy class-II) and with brand name "CITIWEIGH" (hereinafter referred to as the said Model), manufactured by M/s Tejas Exports, 120, Sardar Patel, Diamond Market, Arum Chambers, Near Samjuba Hospital, Bapunagar, Ahmedabad-380024 and which is assigned the approval mark IND/09/2004/278;



The said Model is a strain gauge type load cell based non-automatic weighing instrument (Platform type) with a maximum capacity of 150 kg. and minimum capacity of 500g. The verification scale interval (e) is 10g. It has a tare device with a 100 per cent subractive retained tare effect. The Light Emitting Diode (LED) indicates the weighing result. The Instrument operates on 230 Volts, and 50 Hertz alternate current power supply.

In addition to sealing stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instrument of similar make and performance of same series with maximum capacity ranging above 50 kg. to 300 kg. and with number of verification scale interval (n) in the range of 5,000 to 50,000 for 'e' value of 100 mg. or more and with 'e' value of $1x10^k$, $2x10^k$ or $5x10^k$, K being the positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principles, design accurancy and with the same materials with which, the said approved model has been manufactured.


[F.No. WM-21(144)/2002]

P.A. KRISHNAMOORTHY, Director of Legal Metrology

New Delhi, the 14th March, 2005

S.O. 1157.— Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of non-automatic weighing instrument (Table top type) with digital indication of "SDB" series of high accuracy (Accuracy class-II) and with brand name "DIJETAL" (hereinafter referred to as the said Model), manufactured by M/s Virk Universal, Plot No.160, Industrial Area, Phase-II, Chandigarh-160002 and which is assigned the approval mark IND/09/2004/427;



The said Model is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 300 kg. and minimum capacity of 200g. The verification scale interval (e) is 10mg. It has a tare device with a 100 per cent subractive retained tare effect. The Light Emitting Diode (LED) indicates the weighing result. The Instrument operates on 230 Volts, and 50 Hertz alternate current power supply.

In addition to sealing stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instrument of similar make and performance of same series with maximum capacity up to 50 kg. and with number of verification scale interval (n) in the range of 100 to 50,000 for 'e' value of 100 mg. or more and with 'e' value of $1x10^k$, $2x10^k$ or $5x10^k$, K being the positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principles, design and with the same materials with which, the said approved Model has been manufactured.


[F.No. WM-21(208)/2002]

P.A. KRISHNAMOORTHY, Director of Legal Metrology

New Delhi, the 14th March, 2005

S.O. 1158.— Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic (Table top type) Weighing instrument with digital indication of "SWT" series of medium accuracy (Accuracy class-III) and with brand name "DIJETAL" (hereinafter referred to as the said Model), manufactured by M/s Virk Universal, Plot No.160, Industrial Area, Phase-II, Chandigarh-160002 and which is assigned the approval mark IND/09/2004/428;



The said Model is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 30 kg. and minimum capacity of 100g. The verification scale interval (e) is 5g. It has a tare device with a 100 per cent subtractive retained tare effect. The Light Emitting Diode (LED) display indicates the weighing result. The Instrument operates on 230 Volts, and 50 Hertz alternate current power supply.

In addition to sealing stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instrument of similar make and performance of same series with maximum capacity up to 50 kg. with verification scale interval (n) in the range of 100 to 10,000 for 'e' value of 100 mg. to 2 g. or with verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5 g or more and with 'e' value of $1x10^k$, $2x10^k$ or $5x10^k$, k being the positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principles, design and with the same materials with which, the said approved Model has been manufactured.


[F.No. WM-21(208)/2002]

P.A. KRISHNAMOORTHY, Director of Legal Metrology

New Delhi, the 14th March, 2005

S.O. 1159.— Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of the self indicating non-automatic (Platform type) Weighing instrument with digital indication of "SWP" series of medium accuracy (Accuracy class-III) and with brand name "DIJETAL" (hereinafter referred to as the said Model), manufactured by M/s Virk Universal, Plot No.160, Industrial Area, Phase-II, Chandigarh-160002 and which is assigned the approval mark IND/09/2004/429;



The said Model (see the figure given below) is a strain gauge type load cell based weighing instrument with a maximum capacity of 500 kg. and minimum capacity of 1 kg. The verification scale interval (e) is 50 g. It has a tare device with a 100 per cent subtractive retained tare effect. The Light Emitting Diode (LED) display indicates the weighing result. The Instrument operates on 230 Volts, and 50 Hertz alternate current power supply.

In addition to sealing stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model is be cover the weighing instrument of same series with maximum capacity above to 50 kg. and up to 1000 kg. and with number verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5 g. or more and with 'e' value of $1x10^k$, $2x10^k$ or $5x10^k$, k being the positive or negative whole number or equal to zero, manufactured by the same manufacturer with the same principles, design and with the same materials with which, the approved Model has been manufactured.


[F.No. WM-21(208)/2002]

P.A. KRISHNAMOORTHY, Director of Legal Metrology

New Delhi, the 14th March, 2005

S.O. 1160.— Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) of Section 36 of the said Act, the Central Government hereby publishes the certificate of approval of the Model of Counter Machine with brand name Priti Scale, (hereinafter referres to as the Model), manufactured by M/s Priti Scale, Sandhi Chowk, Savarkundla-364515 (Gujarat) and which is assigned the approval mark IND/09/03/32;



The said Model (see the figure) is a Counter Machine. The maximum capacity is 5 kg.

Further, in exercise of the powers conferred by sub-section (12) of the said Section, Central Government hereby declares that this certificate of approval of the Model shall also cover the weighing instruments of similar make, accuracy and performance of same series with capacity ranging from 500 g. to 50 kg. manufactured by the same manufacturer in accordance with the same principle, design, and with the same materials with which, the approved Model has been manufactured.


[F.No. WM-21(264)/2002]

P.A. KRISHNAMOORTHY, Director of Legal Metrology

New Delhi, the 14th March, 2005

S.O. 1161.— Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of non-automatic weighing instrument (Table top type) with digital indication of "PJW" series of high accuracy (Accuracy class-II) and with brand name "PHOENIX" (hereinafter referred to as the said Model), manufactured by M/s Nitiraj Engineers Private Limited, 306A, Bhabha Building, N.M. Joshi Marg, Delise Road, Mumbai-400011, Maharashtra and which is assigned the approval mark IND/09/2004/319;



The said Model is a electromagnetic force compensation principle based non-automatic weighing instrument (Table top type) with a maximum capacity of 500g. and minimum capacity of 200 mg. The verification scale Interval (e) is 10mg. It has a tare device with a 100 per cent subtractive retained tare effect. The Light Emitting Diode (LED) display indicates the weighing result. The instrument operates on 230 Volts, and 50 Hertz alternative current power supply.

In addition to sealing stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity up to 50 kg. with verification scale interval (n) in the range of 100 to 50,000 for 'e' value of 1 mg to 50 mg. and with verification scale interval (n) in the range of 5,000 to 50,000 for 'e' value of 100 mg. or more and with 'e' value of $1x10^k$, $2x10^k$ or $5x10^k$, Where K is positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design accuracy and with the same materials with which, the said approved Model has been manufactured.


[F.No. WM-21(327)/2002]

P.A. KRISHNAMOORTHY, Director of Legal Metrology

New Delhi, the 14th March, 2005

S.O. 1162.— Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of Model of, non-automatic weighing instrument (Personal weighing machine) belonging to medium accuracy (accuracy class-III) of 'PPS' series with brand name "PHOENIX" (herein referred to as the said Model), manufactured by M/s Nitiraj Engineers Private Limited, 306A, Bhabha Building, N.M. Joshi Marg, Delise Road, Mumbai-400011, Maharashtra and which is assigned the approval mark IND/09/2004/320;



The said Model is non-automatic strain gauge load cell based weighing instrument (Personal weighing machine). The maximum capacity is 150 kg and minimum capacity of 2g. The value of verification scale interval 'e' is 200g. The liquid crystal display (LCD) display indicates the weighing result. The instruments operates on 3V battery.

In addition to sealing stamping plate, sealing is also done to prevent opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity in the range of 100k 2 to 200kg and with number of verification scale interval (n) in the range of 500 to

10,000 for 'e' value of 5 g. more and with 'e' value of $1x10^k$, $2x10^k$ or $5x10^k$, k being a positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, accuracy design and with the same materials with which, the said approved Model has been manufactured.


[F.No. WM-21(327)/2003]

P.A. KRISHNAMOORTHY, Director of Legal Metrology

New Delhi, the 16th March, 2005

S.O. 1163.— Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby publishes the certificate of approval of non-automatic (Table top type) weighing instrument with digital indication of "CTS-090" Series of medium accuracy (accuracy class-III) and with brand name "CELLO" (herein referred to as the said Model), manufactured by M/s Citizen Scale Co.5, Shivaji Nagar, Savarkundala-364515, Gujarat and which is assigned the approval mark IND/09/2004/379;



The said Model is a strain gauge type load cell based non-automatic weighing instrument (Table up type) with maximum capacity of 20 kg. and maximum capacity is 40 kg. The verification scale interval (c) is 2g. It has a tare device with 100 per cent subtractive retained tare effect. The Light Emitting Diode (LED) display indicates the weighing result. The instrument operates on 230 Volts, 50 Hertz alternative current power supply.

In addition to sealing stamping plate, sealing is also be done to prevent opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity upto 50 kg. with verification scale interval (n) in the range of 100 to 10,000 for 'e' value of 100 mg. to 2g. or with verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5g. or more and with 'e' value of $1x10^k$, $2x10^k$ or $5x10^k$, k being a positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principles, design and with the same materials with which, the said approved Model has been manufactured.

[F.No. WM-21(223)/2002]


P.A. KRISHNAMOORTHY, Director of Legal Metrology

New Delhi, the 16th March, 2005

S.O. 1164.— Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and

the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issue and publishes the certificate of approval of the Model of the self indicating, non-automatic (Plateform type) weighing instrument with digital indication of "CPS-07" series of medium accuracy (Accuracy class-III) and with brand name "CELLO" (herein referred to as the said Model), manufactured by M/s Citizen Scale Co.5, Shivaji Nagar, Savarkundala-364515, Gujarat and which is assigned the approval mark IND/09/2004/380;



The said Model (see the figure given below) is a strain gauge type load cell based weighing instrument with a maximum capacity of 500 kg. and minimum capacity of 1 kg. The verification scale interval (e) is 50g. It has a tare device with 100 percent subtractive retained tare effect. The Light Emitting Diode (LED) display indicates the weighing result. The instrument operates on 230 Volts and 50 Hertz alternative current power supply.

In addition to sealing the stamping plate, sealing shall also be done to prevent opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model is be cover the weighing instrument of same series with maximum capacity up to 50 kg. and up to 1000 kg and with number of verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5g. or more and with 'e' value of $1x10^k$, $2x10^k$ or $5x10^k$, k being a positive or negative whole number or equal to zero, manufactured by the same manufacturer with the same principles, design and with the same materials with which, the approved Model has been manufactured.


[F.No. WM-21(223)/2002]

P.A. KRISHNAMOORTHY, Director of Legal Metrology

New Delhi, the 16th March, 2005

S.O. 1165.— Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of Automatic Liquor Measure with brand name "EASYBAR" (hereinafter referred to as the said Model), Manufactured by M/s Beverage Management System, 1979 SW 95th Place, Suite A, Tualtin, OR 97062, State of Oregon, U.S.A. and Marketed in India by M/s V-Modirata Inc, C-194 (LGF) Defence Colony, New Delhi-110024 and which is assigned the approval mark IND/09/2004/263;



The said Model is an automatic liquor measure and its filling capacity is in the range of 30ml to 100ml. It is used for filling the liquied products like liquir, beer, wine, soda etc through a pre fixed gun dispenser. It is a dispensing device and the liquid flow is determined by a regulated pressurized air source (air compressor or Co,) and timer. The air pressure and time programmed into the electronics are constant. The instrument operates on 230 Volts and 50 Hertz alternative current power supply.


[F.No. WM-21(99)/2003]

P.A. KRISHNAMOORTHY, Director of Legal Metrology

New Delhi, the 16th March, 2005

S.O. 1166.— Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of non-automatic weighing instrument (Table top type) with digital indication of "EW" series of high accuracy (Accuracy class-II) and with brand name "GLOBUS" (hereinafter referred to as the said Model), manufactured by M/s Weigh Shoppe, A-15, DDA Complex, A Block Ring Road, Naraina, New Delhi-110028 and which is assigned the approval mark IND/09/2004/479;



The said Model is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 12 kg. and minimum capacity of 50 kg. The verification scale interval (e) is 1g. It has a tare device with 100 percent subtractive retained tare effect. The Light Emitting Diode (LED) display indicates the weighing result. The instrument operates on 230 Volts and 50 Hertz alternative current power supply.

In addition to sealing the stamping plate, sealing is also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instrument of similar make, accuracy and performance of same series with maximum capacity up to 50 kg. with verification scale interval (n) in the range of 100 to 50,000 for 'e' value 1 mg to 50 mg. and with verification scale interval (n) in the range of 5,000 to 50,000 for 'e' value of 100 mg. or more and

with 'e' value of $1x10^k$, $2x10^k$ or $5x10^k$, where K is a positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principles, design and with the same materials with which, the said approved Model has been manufactured.


[F.No. WM-21(113)/2003]

P.A. KRISHNAMOORTHY, Director of Legal Metrology

New Delhi, the 16th March, 2005

S.O. 1167.— Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of non-automatic weighing instrument (Table top type) with digital indication of "EW" series of medium accuracy (Accuracy class-III) and with brand name "GLOBUS" (hereinafter referred to as the said Model), manufactured by M/s Weigh Shoppe, A-15, DDA Complex, A Block Ring Road, Naraina, New Delhi-110028 and which is assigned the approval mark IND/09/2004/480;



The said Model is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 30 kg. and minimum capacity of 100 g. The verification scale interval (e) is 5g. It has a tare device with 100 percent subtractive retained tare effect. The Light Emitting Diode (LED) display indicates the weighing result. The instrument operates on 230 Volts 50 Hertz alternative current power supply.

In addition to sealing the stamping plate, sealing is also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instrument of similar make, accuracy and performance of same series with maximum capacity up to 50 kg. with verification scale interval (n) in the range of 100 to 50,000 for 'e' value 100 mg to 2g. and with verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5g. or more and with 'e' value of $1x10^k$, $2x10^k$ or $5x10^k$, where k is a positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principles, design and with the same materials with which, the said approved Model has been manufactured.

[F.No. WM-21(113)/2003]

P.A. KRISHNAMOORTHY, Director of Legal Metrology

New Delhi, the 16th March, 2005

S.O. 1168.— Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of non-automatic weighing instrument (Platform type) with digital indication of "EW" series of high accuracy (Accuracy class-II) and with brand name "GLOBUS" (hereinafter referred to as the said Model),

manufactured by M/s Weigh Shoppe, A-15, DDA Complex, A Block Ring Road, Naraina, New Delhi-110065 and which is assigned the approval mark IND/09/2004/481;



The said Model is a strain gauge type load cell based non-automatic weighing instrument (Platform type) with a maximum capacity of 2400 kg. minimum capacity of 10 kg. The verification scale interval (e) is 200g. It has a tare device with 100 percent subtractive retained tare effect. The Light Emitting Diode (LED) display indicates the weighing result. The instrument operates on 230 Volts and 50 Hertz alternative current power supply.

In addition to sealing the stamping plate, sealing is also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instrument of similar make, accuracy and performance of same series with maximum capacity up to 50 kg. and upto 5000 kg. with verification scale interval (n) in the range of 5000 to 50,000 for 'e' value 100 mg. or more and with 'e' value of $1x10^k$, $2x10^k$ or $5x10^k$, where k is positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principles, design and with the same materials with which, the said approved Model has been manufactured.


[F.No. WM-21(113)/2003]

P.A. KRISHNAMOORTHY, Director of Legal Metrology

New Delhi, the 16th March, 2005

S.O. 1169.— Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of non-automatic weighing instrument (Platform type) with digital indication of "STP" series of medium accuracy (Accuracy class-III) and with brand name "STAR" (hereinafter referred to as the said Model), manufactured by M/s Star Weighing System, B-1/23C, Shalimar Bagh, New Delhi-110088 and which is assigned the approval mark IND/09/2004/501;



The said Model is a strain gauge type load cell based non-automatic weighing instrument (Platform type) with a maximum capacity of 1000 kg. and minimum capacity of 2 kg. The verification scale interval (e) is 100g. It has a tare device with 100 percent subtractive retained tare effect. The Light Emitting Diode (LED) display indicates the weighing result. The instrument operates on 230 Volts and 50 Hertz alternative current power supply.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instrument of similar make, accuracy and performance of same series with maximum capacity up to 50 kg. and up to 5000 kg. with verification scale interval (n) in the range of 500 to 10,000 for 'e' value 100 mg or more and with 'e' value of $1x10^k$, $2x10^k$ or $5x10^k$, where k is a positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principles, design and with the same materials with which, the said approved Model has been manufactured.


[F.No. WM-21(18)/2003]

P.A. KRISHNAMOORTHY, Director of Legal Metrology

New Delhi, the 16th March, 2005

S.O. 1170.— Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of non-automatic weighing instrument (Table top type) with digital indication of "STT" series of high accuracy (Accuracy class-II) and with brand name "STAR" (hereinafter referred to as the said Model), manufactured by M/s Star Weighing System, B-1/23C, Shalimar Bagh, New Delhi-110088 and which is assigned the approval mark IND/09/2004/500;



The said Model is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 12 kg. and minimum capacity of 50g. The verification scale interval (e) is 1g. It has a tare device with 100 percent subtractive retained tare effect. The Light Emitting Diode (LED) indicates the weighing result. The instrument operates on 230 Volts, 50 Hertz alternative current power supply.

In addition to sealing the stamping plate, sealing is also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instrument of similar make, accuracy and performance of same series with maximum capacity up to 50 kg. with verification scale interval (n) in the range of 100 to 50,000 for 'e' value 1 mg. to 50 mg and with verification scale interval (n) in the range of 5,000 to 50,000 for 'e' value of 100 mg. or more and with 'e' value of $1x10^k$, $2x10^k$ or $5x10^k$, K is a positive or negative whole number or equal to zero,

manufactured by the same manufacturer in accordance with the same principles, design and with the same materials with which, the said approved Model has been manufactured.

[F.No. WM-21(18)/2003]

P.A. KRISHNAMOORTHY, Director of Legal Metrology

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ರಿಚಾರ್ಡ್ ಲೋಬೋ

PR-142

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಉಪ ಕಾರ್ಯದರ್ಶಿ,

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 154 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 11ನೇ ಜುಲೈ 2005

2005ನೇ ಸಾಲಿನ ಮೇ 5ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii) ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 642 (E) [F.No. RW/NH-12037/62/2003-KNT/P7] ದಿನಾಂಕ: 5.5.2005 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

MINISTRY OF SHIPPING, ROAD TRANSPORT AND HIGHWAYS

(Department of Road Transport and Highways)

NOTIFICATION

New Delhi, the 5th May, 2005

S.O. 642(E).— In exercise of powers conferred by Sections 7 and 8A of the National Highways Act, 1956 (48 of 1956), the Central Government hereby makes the following amendments in the notification of the Government of India in the erstwhile Ministry of Surface Transport (Department of Road Transport and Highways) number S.O.556(E), dated the 7th June, 2000, except as respect things done or omitted to be done before such amendments, namely:-

For the Schedule to the said notification, the following Schedule shall be substituted, namely:-

"SCHEDULE

(Rate to be recovered from users of Hubli-Dharwad Bypass on National Highway No.4)

Sl. No.	Categories of Vehicles	Fee Category A, in Rupees, per Vehicle per Trip	Fee Category B, in Rupees, per Vehicle per Trip	Fee Category C, in Rupees, per Vehicle per Trip
1	2	3	4	5
1	Car or Jeep or Vans	12.00	15.00	21.00
2	Buses	12.00	58.00	75.00
3	Trucks	12.00	70.00	91.00
4	Light Commercial Vehicles	12.00	43.00	53.00
5	Multi-Axlc Vehicles	12.00	68.00	84.00"

2. This notification shall come into force on the date of its publication in the Official Gazette.

[F.No.RW/NH-12037/62/2003-KNT/P7]

ALOK RAWAT, Jt. Secy.

Note: The principal notification was published in the Official Gazette vide No.S.O.556(E), dated the 7th June, 2000, subsequently amended vide No. S.O.293(E), dated the 29th March, 2001, S.O.339(E), dated: the 26th March, 2002, No.S.O.326(E), dated the 26th March, 2003 and subsequently amended vide S.O.395(E), dated the 26th March, 2004.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ರಿಚಾರ್ಡ್ ಲೋಬೋ

PR-144

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಉಪ ಕಾರ್ಯದರ್ಶಿ,

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 155 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 11ನೇ ಜುಲೈ 2005

2005ನೇ ಸಾಲಿನ ಮೇ 7ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii) ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 649 (E) [F.No.2206/1/2005-BC-III] ದಿನಾಂಕ: 6.5.2005 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

MINISTRY OF INFORMATION AND BROADCASTING

ORDER

New Delhi, the 6th May, 2005

S.O. 649(E).— It has come to the notice of the Central Government that some Cable Operators in the Country through their Cable Television Networks are transmitting/re-transmitting satellite channels i.e. "BlueKiss", "BlueKiss Express", "BlueKiss Promo" and "TBL-XXX" which are reportedly telecasting programmes that are against good taste or decency and are likely to adversely affect public morality. Therefore, the Central Government finds it necessary to prohibit transmission or re-transmission of the said channels in the country.

2. Now, therefore, in exercise of the powers conferred by sub-section (2) of Section 20 of the Cable Television Networks (Regulation) Act, 1995 (No.7 of 1995), as amended from time to time, the Central Government hereby prohibits transmission/re-transmission of satellite channels i.e. "BlueKiss", "BlueKiss Express", "BlueKiss Promo" and "TBL-XXX" through Cable Television Networks throughout the country, with immediate effect and until further order.

[F.No.2206/1/2005-BC-III]

R. PARASURAM, Jt. Secy.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ರಿಚಾರ್ಡ್ ಲೋಬೋ

PR-145

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಉಪ ಕಾರ್ಯದರ್ಶಿ,

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 156 ಕೇನಿಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 11ನೇ ಜುಲೈ 2005

2005ನೇ ಸಾಲಿನ ಮೇ 6ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii) ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ S.O. 644 (E) [F.No.17-28/94-PP-I] ದಿನಾಂಕ: 6.5.2005 ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

MINISTRY OF AGRICULTURE

(Department of Agriculture and Cooperation)

NOTIFICATION

New Delhi, the 6th May, 2005

S.O. 644(E).— Whereas the Central Government had set up an Expert Group to undertake review of certain pesticides in use at present and to consider their continued use or otherwise in India;

And whereas the Central Government, after considering the recommendations of the said Expert Group and after consultation with the Registration Committee set up under the Insecticides Act, 1968 (46 of 1968) is satisfied that the use of formulations of Monocrotophos on vegetables involves health hazards to human beings;

Now, therefore, in exercise of the powers conferred by sub-section (2) of section 27 read with section 28 of the Insecticides Act, 1968 (46 of 1968), the Central Government hereby proposes to make the following Order, namely:-

ORDER

1. (1) The use of Monocrotophos on vegetables shall be banned on and from the date of publication of the final notification.
   (2) The certificates of registration granted for Monocrotophos shall be called back by the Registration Committee from all registrants including new registrants for incorporation of the requirement of the warning in bold letters "BANNED FOR USE ON VEGETABLES" on labels and leaflets.
   (3) In respect of those registrants who do not return the registration certificate, as per this Order within a period of six months w.e.f. the date of publication of final notification, their license granted under section 13 of the Insecticides Act shall not be renewed or action under section 14 of the Act will be taken.

2. The State Government shall take all such steps in their respective jurisdiction as it may deem fit for carrying out this Order as per the Insecticides Act, 1968 and the rules framed thereunder.

3. The draft Order, which the Central Government proposes to make, is hereby published for information of all persons likely to be affected thereby; and notice is hereby given that the said draft Order shall be taken into consideration after the expiry of a period of forty-five days from the date on which the copies of the Gazette of India containing this Order are made available to the public.

4. Any person desirous of making any suggestion or objection in respect of the said draft order may forward the same for consideration of the Central Government within the period so specified to the Joint Secretary (Plant Protection), Ministry of Agriculture, Department of Agriculture and Cooperation, Krishi Bhavan, New Delhi.

[F.No.17-28/94-PP-I]

ASHISH BAHUGUNA, Jt. Secy.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,

ರಿಚರ್ಡ್ ಲೋಬೋ

PR-146

ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ

ಸರ್ಕಾರದ ಉಪ ಕಾರ್ಯದರ್ಶಿ,

ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

ಅಧಿಸೂಚನೆ

ಸಂಖ್ಯೆ: ಸಂವ್ಯಶಾಇ 35 ಕೇಶಾಪ್ರ 2005, ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 8ನೇ ಜುಲೈ 2005

2005ನೇ ಸಾಲಿನ ಜೂನ್ 28ನೇ ದಿನಾಂಕದ ಭಾರತ ಸರ್ಕಾರದ ಗೆಜೆಟ್‌ನ ವಿಶೇಷ ಸಂಚಿಕೆಯ ಭಾಗ-II ಸೆಕ್ಷನ್ 3(ii) ರಲ್ಲಿ ಪ್ರಕಟವಾದ ಈ ಕೆಳಕಂಡ The Citizenship (Amendment) Ordinance, 2005 (No.2 of 2005) ಅನ್ನು ಸಾರ್ವಜನಿಕರ ಮಾಹಿತಿಗಾಗಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಪತ್ರದಲ್ಲಿ ಮರು ಪ್ರಕಟಿಸಲಾಗಿದೆ.

MINISTRY OF LAW AND JUSTICE
(Legislative Department)
New Delhi, the 28th June, 2005/Asadha 7, 1927 (Saka)
THE CITIZENSHIP (AMENDMENT) ORDINANCE, 2005
No.2 of 2005
Promulgated by the President in the Fifty-sixth Year of the Republic of India
An Ordinance further to amend the Citizenship Act, 1955.

WHEREAS Parliament is not in session and the President is satisfied that circumstances exist which render it necessary for him to take immediate action;

NOW, THEREFORE, in exercise of the powers conferred by clause (1) of article 123 of the Constitution, the President is pleased to promulgate the following Ordinance:-

1. Short title and commencement.- (1) This Ordinance may be called the Citizenship (Amendment) Ordinance, 2005.

(2) It shall come into force at once.

2. Amendment of section 2.- In section 2 of the Citizenship Act, 1955 (57 of 1955) (hereinafter referred to as the principal Act), in sub-section (1),-

(i) for clause (ee), the following clause shall be substituted, namely:-
'(ee) "overseas citizen of India" means 3 person registered as an overseas citizen of India by the Central Government under section 7A;';

(ii) clause (gg) shall be omitted.

3. Amendment of section 5.- In section 5 of the principal Act, in sub-section (1), in clause (g), for the words "two years", the words "one year" shall be substituted.

4. Substitution of new section for section 7A.- For section 7A of the principal Act, the following section shall be substituted, namely:-

"7A. Registration of overseas citizens of India.- The Central Government may, subject to such conditions and restrictions as may be prescribed, on an application made in this behalf, register as an overseas citizen of India-

(a) any person of full age and capacity,-
  (i) who is citizen of another country, but was a citizen of India at the time of, or at any time after, the commencement of the Constitution; or
  (ii) who is citizen of another country, but was eligible to become a citizen of India at the time of the commencement of the Constitution; or
  (iii) who is citizen of another country, but belonged to a territory that become part of India after the 15th day of August, 1947; or
  (iv) who is a child or a grand-child of such a citizen; or

(b) a person, who is a minor child of a person mentioned in clause (a):

Provided that no person, who is or had been a citizen of Pakistan, Bangladesh or such other country as the Central Government may, by notification in the Official Gazette, specify, shall be eligible for registration as an overseas citizen of India.".

5. **Omission of Fourth Schedule.-** The Fourth Schedule to the Principal Act shall be omitted.

A.P.J. ABDUL KALAM
President.

T.K. VISWANATHAN
Secy. to the Govt. of India.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,
ರಿಚಾರ್ಡ್ ಲೋಬೋ
ಸಹಾಯಕ ಪ್ರಾರೂಪಕಾರ ಮತ್ತು ಪದನಿಮಿತ್ತ
ಸರ್ಕಾರದ ಉಪ ಕಾರ್ಯದರ್ಶಿ,
ಸಂಸದೀಯ ವ್ಯವಹಾರಗಳು ಮತ್ತು ಶಾಸನ ರಚನೆ ಇಲಾಖೆ.

PR-147

PARLIAMENTARY AFFAIRS AND LEGISLATURE SECRETARIAT
NOTIFICATION
No. DPAR 237 SAS 2003, Bangalore, Dated: 12th July 2005

The Notification No.14013/07.2004, AIS III, dated: 16.06.2005 of Government of India, Ministry of Personnel, P.G. & Pensions, Department of Personnel and Training, New Delhi is hereby republished.

(TO BE PUBLISHED IN THE GOVERNMENT OF INDIA
PART-1 (SECTION-2)
No. 14013/07.2004.AIS.III
Government of India
Ministry of Personnel, Public Grievances & Pensions,
(Department of Personnel & Training)
NOTIFICATION New Delhi 16.06.2005

In exercise of the powers conferred by rule 3A of the India Administrative Service (Probation) Rules, 1954, the President is pleased to confirm, in the Indian Administrative Service, the following members of the Indian Administrative Service born on the State Cadre of Karnataka, with effect from the dates shown against them.

Sl.No.	Name	Batch	Date of Confirmation
1	Sri K.S. Prabhakar	1991	14.03.2001
2	Sri H.V. Parswanath	1992	24.12.2000
3	Sri T. Sham Bhatt	1992	11.02.2003
4	Sri B.M. Dyaberi	1993	22.12.2001
5	Sri B.S. Palaksha	1993	22.12.2001
6	Sri M.S. Ravishankar	1993	22.12.2001
7	Sri M.A. Sadiq	1993	22.12.2001
8	Sri B.S. Ramprasad	1993	22.12.2001
9	Sri S.N. Jayaram	1994	22.12.2001
10	Sri G.N. Nayak	1994	22.12.2001
11	Sri G.L. Chandrashekaraiah	1994	22.12.2001
12	Sri Gonal Bheemappa	1995	13.06.2002
13	Sri K.H. Ashwathnarayana Gowda	1995	13.06.2002
14	Sri D.K. Rangaswamy	1996	08.08.2003

2. Officers at Sl.No.4 to 11 are confirmed subject to final outcome of Oas No.1175/2000, 1205/2000, 1379/2000 before the CAT, Bangalore Bench and OA No.2631/2000 before the CAT, Principal Bench, Officers at Sl.No.12 and 13 are confirmed subject to final outcome in OA. No. 2631/2000, before the CAT, Principal Bench and OA No.793/2001 before the CAT, Bangalore Bench.

G.C. PANDAY
Under Secretary to the Government of India.

By Order and in the Name of the Governor of Karnataka,
K. SUDHAKARA SHETTY
Under Secretary to Government,
Parliamentary Affairs and Legislation Department.

P.R. 148